EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	148	327/534-537.ccls. and @pd>="20080620"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 15:33
S2	931042	(back adj gate back$1gate bulk substrate body) with (control$4 adjust$4 program $4 bias$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 16:56
S5	16495	(amplifier comparator amp) same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 16:58
S6	72445	current adj2 voltage with (regulat$4 generat$4 conver $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 16:59
S7	153	S5 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 16:59
S12	1227	current with (program$4 adjust$4 varia$4 trim$4 select$4) same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 17:07
S13	1191	S12 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/12/11 17:08
S19	928	S5 and S6	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/11 18:21
S20	697	S19 not (S7 S13)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/11 18:21
S28	779	(sakiyama kinoshita sumita). in. and S2	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/11 19:15
S29	770	S28 not (S7 S13 S20)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/11 19:16

12/12/2008 9:49:06 AM
C:\ Documents and Settings\ thiltunen\ My Documents\ EAST\ Workspaces\ 10511165.6.wsp